


Rotating German Wheel

TA3 – DIN 53357-B, ISO 6133, IPC-TM-650 2.4.9

The TA3 is used to test the bond strength of tapes, plastic and paper films, laminated release coatings at 90° peel angle.

Related standards: DIN 53357-B, ISO 6133, IPC-TM-650 2.4.9

Item No.	TA3-90
Conforms to standard:	DIN 53357-B Testing of Plastic Sheets; Adhesion Test
Max. load capacity:	4 kN
Wheel Ø:	90 mm (3.54 in)
Coupling:	Af159mm. Further couplings on request.
Weight:	2 kg
Body:	Anodized aluminum
Holder	Steel
Temperature range:	0 ... +70°C
Scope of delivery:	1 Fixture



Thwing-Albert
Instrument Company




thwingalbert.com

Rotating German Wheel

TA3 – DIN 53357-B, ISO 6133, IPC-TM-650 2.4.9

Includes a clamp to hold the sample.

Item No.	TA3-90-KL
Conforms to standard:	DIN 53357-B Adhesion Test
Max. load capacity:	4 kN
Wheel Ø:	90 mm (3.54 in)
Coupling:	Af159mm. Further couplings on request.
Weight:	2.05 kg
Body:	Anodized aluminum
Holder:	Steel
Temperature range:	0 ... +70°C
Scope of delivery:	1 fixture



Thwing-Albert
Instrument Company




thwingalbert.com

Rotating German Wheel

TA3 – DIN 53357-B, ISO 6133, IPC-TM-650 2.4.9

Item No.	TA3-152
Conforms to standards:	ISO 6133 Rubber and plastics - Analysis of multipeak traces obtained in determination of tear strength and adhesion strength IPC-TM-650 2.4.9 Peel Strength, Flexible Dielectric Materials
Max. load capacity:	4 kN
Wheel Ø:	152 mm (6 in)
Coupling:	
Weight:	3.3 kg
Body:	Anodized aluminium
Holder:	Steel
Temperature Range	0 ... +70°C Further temperature ranges on request
Wheel Ø: 152 mm (6 in)	Wheel Ø: 152 mm (6 in)
Scope of delivery:	1 fixture



Thwing-Albert
Instrument Company



thwingalbert.com

Rotating German Wheel

TA3 – DIN 53357-B, ISO 6133, IPC-TM-650 2.4.9


TA3-SH-S21

Single holder version

Peel test fixture with interchangeable rollers:

Ø 11.8, 13.8, 15.8, 21.8, 25.8 mm

Weight: 1 kg



TA3-38-S

Interchangeable rollers Ø 11, 14, 19, 25 mm

Roller width 38 mm



TA3-SH+EDxxx

Special O-ring test fixture, single-arm version

Aluminum, 500 N



Thwing-Albert
Instrument Company



thwingalbert.com