

# Wire Terminal Grips


## TAS314

### TAS314 WIRE TERMINAL GRIPS

Ideal for measuring pull strength of wire terminals and connectors.

Self-aligning wheel with equally spaced slots for standard terminal shank sizes.

|                      |                                                                   |
|----------------------|-------------------------------------------------------------------|
| Item no.:            | <b>TAS314-60</b>                                                  |
| Max. force capacity: | 20 kN                                                             |
| 12 slots:            | 1 – 1.2 – 1.6 – 2 – 2.4 – 2.7 – 3 – 4 –<br>4.5 – 5 – 5.5 – 6 [mm] |
| Coupling:            | Af15.9 mm<br>Further coupling sizes on request                    |
| Body:                | Steel, nickel-plated                                              |
| Temperature range:   | 0 to +70°C                                                        |
| Weight:              | 0.7 kg                                                            |
| Scope of delivery:   | 1 grip including locking pin                                      |



**Thwing-Albert**  
Instrument Company





[thwingalbert.com](http://thwingalbert.com)

# Wire Terminal Grips

TAS314

|                      |                                                |
|----------------------|------------------------------------------------|
| Item no.:            | <b>TAS314-150-S2</b>                           |
| Max. force capacity: | 50 kN                                          |
| 8 slots:             | 2.6 – 3 – 4 – 5 - 6 – 8 -10 – 11.8<br>[mm]     |
| Coupling:            | Af15.9 mm<br>Further coupling sizes on request |
| Body:                | Nickel-plated steel                            |
| Temperature range:   | -70 to 280°C                                   |
| Weight:              | 2.9 kg                                         |
| Scope of delivery:   | 1 grip including locking pin                   |



**Thwing-Albert**  
Instrument Company



[thwingalbert.com](http://thwingalbert.com)

# Wire Terminal Grips

TAS314

Custom Options Available – See Example:



## TAS314-240-S1

Rotatable ring 240 mm Ø, 20 kN, customized slot sizes

To hold the wire we recommend: TA76, TA170, TAS255, TA240k, TA240g



TAS314-60 and TA240k+BP



TAS314-150-S2 and TA76-20



**Thwing-Albert**  
Instrument Company



[thwingalbert.com](http://thwingalbert.com)